

European Journal of Vascular & Endovascular Surgery

Volume 64 • Issue 4 • 2022
TABLE of CONTENTS


EDITORIAL

- 297 **A Brief Guide to Performing Review and Meta-analysis of Rare Diseases, Procedures, and Other Low Frequency Pathology**
C.P. Twine and K. Mani

CAROTID AND SUPRA-AORTIC ARTERIES

- 299 **A Systematic Review and Meta-Analysis of Carotid Artery Stenting for the Treatment of Cervical Carotid Artery Dissection**
V. Bontinis, C.N. Antonopoulos, A. Bontinis, A. Koutsoumpelis, V. Zymvragoudakis, V. Rafailidis, A. Giannopoulos, P. Stoiloudis and K. Ktenidis
→ *Should only be used as second line treatment after failed medical therapy (meta-analysis of > 1 200 patients, but low quality evidence)*

AORTA AND MAJOR BRANCHES

- 309  **Editor's Choice – EJVES Open Access – The Abdominal Aortic Aneurysm Get Fit Trial: A Randomised Controlled Trial of Exercise to Improve Fitness in Patients with Abdominal Aortic Aneurysm**
A. Haque, N. Wisely and C. McCollum
→ *Community exercise programmes effective to improve cardiopulmonary surrogate markers associated with impaired prognosis, but what about clinical outcomes? (56 patients randomised)*
Invited commentary:
- 320 **Prehabilitation Before Surgery: A (Social) Prescription for Change**
T.M. Mastracci
- 321 **Coeliac Incorporation Strategy Impacts Visceral Branch Vessel Stability in Fenestrated Endovascular Aneurysm Repair**
M. Witheford, D. Au and T.M. Mastracci
→ *Extending F/BEVAR sealing zone through (stented) incorporation of the coeliac trunk improves durability of repair, without increasing short term complications (unplanned comparison of 159 patients)*
Invited commentary:
- 331 **Renovisceral Coverage in Fenestrated Aortic Repair: The Only Way is Up?**
N.V. Dias and B. Sonesson
- 332 **Outcomes of Upper Extremity Access with Surgical Exposure of the Axillary Artery in Fenestrated and Branched Endovascular Aneurysm Repair**
P. Marques de Marino, M. Hagen, A. Katsargyris, B. Botos and E.L. Verhoeven
→ *Surgical axillary artery access for antegrade catheterisation during F/BEVAR is feasible and appears safe (uncontrolled observation of some 260 complex EVAR patients)*

CONTENTS—continued

Invited commentary:

- 339 **We Can Go Up, and We Can Go Down, But Does It Really Matter Anyway?**

C.M. Motyl and A.W. Beck

- 340 **EJVES Open Access – Trends in Thoracic Aortic Aneurysm Hospital Admissions, Interventions, and Mortality in England between 1998 and 2020: An Observational Study**

L. Hanna, V. Sounderajah, A.A. Abdullah, D.C. Marshall, J.D. Saliccioli, J. Shalhoub and R.G.J. Gibbs

→ Population based study showing the endovascular era is associated with a significant increase of hospital admissions for intact thoracic aortic aneurysm but also with a significant decrease of surgical mortality for both intact and ruptured cases - any questions?

Invited commentary:

- 349 **TEVAR Triumphant in the Battle**

A. Dean and M. Khashram

PERIPHERAL ARTERIES

- 350 **Factors Affecting Patency of In Situ Saphenous Vein Bypass: Two Year Results from LIMBSAVE (Treatment of critical Limb Ischaemia with infragenicular Bypass adopting in situ Saphenous VEin technique) Registry**

N. Troisi, D. Adami, S. Michelagnoli and R. Berchiolli LIMBSAVE registry Collaborative Group

→ While limb salvage was good overall, small vein diameter < 3 mm, crural/pedal anastomosis and use of suprafascial tributary collaterals were predictors of poor outcome (LIMBSAVE registry of 541 CLTI patients)

- 359 **Drug Eluting Versus Covered Stent for Femoropopliteal Artery Lesions: Results of the ULTIMATE Study**

S. Ichihashi, M. Takahara, T. Yamaoka, M. Hara, T. Kobayashi, H. Tamai, S. Nagatomi, K. Igari, M. Endo, H. Uchiyama, F. Bolstad, S. Iwakoshi, N. Fujimura, T. Ohki and K. Kichikawa

→ For femoro-popliteal lesions < 15 cm, use of drug eluting stents was associated with higher primary patency rates and fewer repeat interventions than stent grafts (observational comparison of 330 patients)

- 367 **Prediction Models for Two Year Overall Survival and Amputation Free Survival After Revascularisation for Chronic Limb Threatening Ischaemia**

T. Miyata, H. Kumamaru, S. Mii, N. Kinukawa, H. Miyata, K. Shigematsu, N. Azuma, A. Ishida, Y. Izumi, Y. Inoue, H. Uchida, T. Ohki, S. Kuma, K. Kurosawa, A. Kodama, H. Komai, K. Komori, T. Shibuya, S. Shindo, I. Sugimoto, J. Deguchi, K. Hoshina, M. Hideaki, H. Midorikawa, T. Yamaoka, H. Yamashita and Y. Yunoki

→ New 2 year outcome prediction models for both open and endovascular revascularisation of Japanese patients, based on standard parameters - maybe a new benchmark? (based on 3 500 CLTI patients)

VEINS

- 377 **Near Infrared Fluorescence Imaging to Demonstrate Reflux in the Superficial Microvenous Network of the Leg**

N. Hall, J. Krysa, S. Lesche, B.G. Hill, J.A. Letts, A. McNaughton, K. Clifford and G.T. Jones

→ Preliminary ex vivo study in the search of a preclinical marker of superficial venous disease - in vivo validation needed (multimodal investigation in 9 amputated limbs)

Invited commentary:

- 387 **In Chronic Venous Disease Micro is Probably Bigger than Macro!**

N. Labropoulos

- 388 **Prevalence of Inferior Vena Cava Anomalies and Their Significance and Impact in Clinical Practice**

H. Kim, N. Labropoulos, A.M. Blake and K. Desai

→ Prevalence is generally low except in those presenting with deep vein thrombosis at relatively early age (mixed Korean and US American sample of almost 3 000 patients)

CONTENTS—continued

Invited commentary:

- 395 **Deep Venous Thrombosis and the Unanswered Questions Surrounding Inferior Vena Cava Anomalies**
M.L. Boutrous and K.S. Amankwah

MISCELLANEOUS

- 396 **Effect of Telmisartan on the Peak Wall Stress and Peak Wall Rupture Index of Small Abdominal Aortic Aneurysms: An Exploratory Analysis of the TEDY Trial**
T.P. Singh, J.V. Moxon, T.C. Gasser, R.L. Dalman, M. Bourke, B. Bourke, S.M. Tomee, J. Dawson and J. Golledge on behalf of the TEDY investigators
→ Could be effective in reducing risk of rupture in patients with small AAA - suggested by its effect on surrogate predictors such as peak wall stress (unplanned exploration of a TEDY trial participant subset)

Invited commentary:

- 405 **Are There Additional Benefits of Blood Pressure Control in Patients with Abdominal Aortic Aneurysm Besides Cardiovascular Risk Reduction?**
A. Gottsäter and P.M. Nilsson

- 407 **Editor's Choice – Association Between Peri-Operative Aspirin Resistance and Cardiovascular Outcome (POPART-CVO): a Prospective Non-Interventional Cohort Study**
S. Dehne, C. Heck, J. Sander, K. Meisenbacher, C. Arens, C. Niklas, D. Kronsteiner, E. Giannitsis, D. Böckler, M.A. Weigand and J. Larmann
→ Aspirin-Resistance is relatively common in vascular surgery patients, but, per se, does not seem associated with the risk of myocardial injury (200 patients observed)

Invited commentary:

- 416 **Aspirin Mediated Platelet Reactivity Following Vascular Procedures: The Path of Least Resistance is to Ignore it**
E.M. Zywicka and C.P. Twine

- 417 **Editor's Choice – Effect of Physical Activity and Tobacco Use on Mortality and Morbidity in Patients with Peripheral Arterial Disease After Revascularisation: A Korean Nationwide Population Based Cohort Study**
S. Cha, S.L. Grace, K. Han, B. Kim, N.-J. Paik and W.-S. Kim
→ Inactive lifestyle and tobacco use limit the prognosis after revascularisation for PAOD: they should be addressed AFTER revascularisation as much as BEFORE (population based analysis of > 8 000 patients)

CORRESPONDENCE

RESEARCH LETTERS

- 427 **Inverted T Bypass: A Solution for Distal Revascularisation in the Absence of an Adequate Autologous Vein Graft**
T.R. Soares, G. Cabral, T. Costa, J. Tiago, J. Gimenez and D. Cunha e Sá
- 429 **External Validation of the OAC3-PAD Risk Score to Predict Major Bleeding Events Using the Prospective GermanVasc Cohort Study**
F. Peters and C.-A. Behrendt
- 431 **Compression Hosiery to Avoid Post-Thrombotic Syndrome (CHAPS) Trial**
R. Lawton, B.J. Hunt, J. Norrie, J. Shalhoub, A. Thapar and A.H. Davies
- 433 **Letters to the Editor**

ERRATUM

- 435 **Erratum to “Total luminal volume predicts risk after endovascular aneurysm repair. [Eur J Vasc Endovasc Surg (2020) 59, 918-927]”**
J. Oliveira-Pinto, R.S. Ferreira, N.F.G. Oliveira, S. Hoeks, M.J. Van Rijn, S.T. Raa, A. Mansilha, H.J.M. Verhagen and F. Bastos Gonçalves

CONTENTS—continued

CONTINUED MEDICAL EDUCATION (CME)

JUGAAR:

- 436 ***In Situ* Conversion of an Occluded Below-the-Knee Bypass Into a Patent Above-the-Knee Endobypass**
M. Dubosq, J. Jayet and R. Coscas

COUP D'OEILS:

- 330 **EJVES Open Access – Infrarenal Aortic Aneurysm Distorted by Severe Spinal Deformation**
Y. Xiang and B. Huang
- 338 **Aortic Tortuosity Due to Late Migration of Multibranched Endograft**
V. Mirandola and E. Gallitto
- 348 **Atypical Type II Endoleak After EVAR: the Left Behind Artery**
N. Paraskevas and I. Ioannidis
- 376 **A Giant Coeliac Trunk Aneurysm**
S. Fronterre and S. Tarantini
- 386 **Intra-operative Transoesophageal Echocardiography Detecting Intramural Haematoma During Thoracic Endovascular Aortic Repair**
J. Pan and Z. Wu
- 404 **Successful Reconstruction of a Ruptured Brachial Artery Aneurysm With Superficial Femoral Vein**
G. Keshelava and Z. Robakidze
- 426 **No Symptoms for Over 70 Years! Incidentally Discovered Congenital Dysplasia of Infrarenal Aorta**
K. Zheng and H. Ren

MULTIPLE CHOICE QUESTIONS (MCQ):

- 437 **One Year on: Test Your Knowledge From October 2021**
S. Kakkos

TRANSLATED ABSTRACTS:

- e29 **EJVES vol. 64, issue 4 (October 2022) - Spanish Translated Abstracts** ©

EJVES VASCULAR FORUM ABSTRACTS:

- e35 **Abstracts from Issue October of EJVES Vascular Forum** ©

JVS ABSTRACTS:

- e38 **Selected Abstracts from the October 2022 Issues of the *Journal of Vascular Surgery* and the *Journal of Vascular Surgery: Venous and Lymphatic Disorders*** ©

Editor's Choice: This paper has been selected by the Editor to be made freely available online.

© Additional material available online: <http://www.sciencedirect.com/science/journal/10785884/64>